

INDEX MAPS.

T. 15 N, R. 5 E. 2nd Mer.

	227		227		226		226		225		225
229	6	252	5	246	4	242	3	237	2	233	1 225
	251		251		246		241		237		233
229	7	251	8	245	9	241	10	237	11	232	12 224
	250		250		245		240		236		232
228	18	250	17	244	16	240	15	236	14	232	13 224
	249		249		244		240		235		231
228	19	248	20	244	21	239	22	235	23	231	24 224
	248		248		243		239		235		231
228	30	247	29	243	28	239	27	234	26	230	25 223
	247		247		242		238		234		230
227	31	246	32	242	33	238	34	234	35	230	36 223
	222		222		222		221		221		221

T. 16 N, R. 5 E. 2nd Mer.

261	6	284	5	278	4	273	3	269	2	265	1 259
	283		283		277		273		269		265
261	7	283	8	277	9	273	10	269	11	264	12 258
	282		282		277		272		268		264
260	18	281	17	276	16	272	15	268	14	264	13 258
	281		281		276		271		267		263
260	19	280	20	275	21	271	22	267	23	263	24 258
	280		280		275		271		267		263
259	30	279	29	275	28	270	27	266	26	262	25 257
	279		279		274		270		266		262
259	31	278	32	274	33	270	34	266	35	262	36 257
	256		256		256		255		255		255

[The figures on the lines refer to the page.]

Township Series.
South Boundary.

West on the S. Boundary of Sec. 36

18.08 a Hickory 10 in. dia.

20.70 a creek 20 lbs. wide course S

40.00 set g. sec. post from which

an Ash 15 in. dia bears S 15 E 10 lbs. dist. 8

a Beech 18 " " " N 44 W 15 " "

69.00 a Hickory 16 " "

80.00 set post cor. of sec. 35 & 36 from which

a Beech 22 in. dia bears N 89 E 14 lbs. dist. 8

a Do 14 " " " N 79 W 36 " "

Over level land, timber Beech, Ash, Hickory &
Wys. Spice

West on the S. Boundary of Sec. 35

29.20 a Beech 20 in. dia.

40.00 set g. sec. post from which

a Beech 8 in. dia bears N 79 E 8 lbs. dist. 8

a Do 13 " " " N 77 W 16 " "

67.71 a Do 18 " "

80.00 set post cor. of sec. 34 & 35 from which

a Beech 14 in. dia bears S 83 E 21 lbs. dist. 8

a Do 9 " " " N 85 W 16 " "

Over level land, timber Beech, Oak &c.

West on the S. Boundary of Sec. 34

40.00 set g. sec. post from which

a Beech 15 in. dia bears N 16 W 27 lbs. dist. 8

a Do 14 " " " S 45 W 13 " "

61.67 a Spruce 40 " "

63.00 a Creek 70 lbs. wide course S

80.00 set post cor. of sec. 33 & 34 from which

T. 15 N., R. 5 E. 2. Mer. Ind.^a

a Beech 30 in. dia. bears N 80 E 40 lbs. dist. 18
 a Sycamore 13 " " " N 60 W 11 " "
 Over level land, timber Beech, Oak & Upr. Spruce
 July 31st 1819

West on the S. Boundary of Sec. 33

22.80 a Beech 15 in. dia.

40.00 set of sec. post from which

an Ash 9 in. dia. bears S 84 E 35 lbs. dist. 18

a Beech 7 " " " N 20 W 15 " "

56.18 an Elm 13 " "

80.00 set post cor. of sec. 32 & 33 from which

an Oak 7 in. dia. bears N 7 E 12 lbs. dist. 18

a Spruce 14 " " " S 10 W 5 " "

Over level land, timber Beech, Elm, Ash &
 Upr. Spruce

West on the S. Boundary of Sec. 32

32.48 a Hickory 14 in. dia.

40.00 set of sec. post from which

an Oak 28 in. dia. bears N 75 W 16 lbs. dist. 18

an Ash 17 " " " N 37 E 16 " "

49.48 a Beech 18 " "

80.00 set post cor. of sec. 31 & 32 from which

a Hickory 8 in. dia. bears N 71 E 17 lbs. dist. 18

a Do 6 " " " N 75 W 12 " "

Over level wet land, timber Beech, Elm, Oak,
 & Upr. Spruce

West on the S. Boundary of Sec. 31

16.61 an Oak 48 in. dia.

40.00 set of sec. post from which

a Beech 22 in. dia. bears N 52 E 30 lbs. dist. 18

T. 15 N., R. 5 E. 2^d Mer. Ind.^a

a W. Oak 12 in. diameter S 28 W 6 1/2 Ms. dist.

52.18 a Beech 16 " "

73.07 set part cor. of T. 14 & 15 N, R. 4 & 5 E. from which

a Beech 18 in. diameter S 85 E 35 Ms. dist. 8

a Lynn 20 " " " S 67 W 12 " "

Land timber the same as on the last mile

August 1. 1819

East Boundary. Var. 6th 15' E.

North on the E. Boundary of Sec. 36

40.00 set g. sec. point from which

a Beech 10 in. diameter N 85 W 21 Ms. dist. 8

an Elm 10 " " " N 87 E 16 " "

80.00 set part cor. of sec. 25 & 36 from which

a Beech 15 in. diameter S 87 E 8 Ms. dist. 8

an Oak 20 " " " S 89 W 13 " "

Over level land, timber Beech, Sugar &
Upr. Spice

North on the E. Boundary of Sec. 25

0.50 a Creek 40 Ms. wide course S E

8.12 a Beech 16 in. dia.

17.00 a Creek 40 Ms. wide course S W

40.00 set g. sec. point from which

a W. Ash 25 in. diameter West 1 1/2 Ms. dist. 8

a Do 18 " " " N 67 E 17 " "

70.73 a Sugar 9 " "

80.00 set part cor. of sec. 24 & 25 from which

a Beech 30 in. diameter N 66 E 10 Ms. dist. 8

a Do 6 " " " S 19 W 4 " "

Good farming land, Beech, Sugar, W. Ash, Elm,
W. Oak, Hickory & Upr. Spice, Pawpaw &

T. 15 N., R. 5 E. S. Mer. Ind. a

North on the E. Boundary of Sec. 24

24.12 a W. Ash 24 in. dia.

33.00 a Branch 20 lbs. wide corner S E

40.00 set g. sec. post from which

a Beech 6 in. dia. bears S 88 E 4 lbs. dist. 8

a Do 12 " " " S 77 W 20 " "

54.45 a Walnut 27 " "

80.00 set post cor. of sec. 13 & 24 from which

a Sycamore 48 in. dia. bears S 51 E 18 lbs. dist. 8

a Beech 12 " " " S 87 W 27 " "

Level 2nd rate land, Beech, Ash, Elm, Oak,

Hickory, Sycamore & Uls. Spice, Pawpaw, Ash &c.

North on the E. Boundary of Sec. 13

19.07 a W. Oak 36 in. dia.

40.00 set g. sec. post from which

a Lym 12 in. dia. bears S 32 E 25 lbs. dist. 8

a Beech 10 " " " N 15 W 25 " "

41.03 an Elm 24 " "

80.00 set post cor. of sec. 12 & 13 from which

a Beech 10 in. dia. bears S 53 W 23 lbs. dist. 8

a Do 8 " " " N 35 E 9 " "

Level 2nd rate land, Beech, W. Oak, Hickory,

W. Ash, Elm, Lym - Uls. Spice &c.

North on the E. Boundary of Sec. 12

6.62 a W. Oak 27 in. dia.

40.00 set g. sec. post from which

an Elm 8 in. dia. bears N 73 E 8 lbs. dist. 8

a Beech 11 " " " S 68 W 35 " "

65.40 a Hickory 22 " "

80.00 set post cor. of sec. 1 & 12 from which

an Elm 25 in. dia. bears S 78 W 12 lbs. dist. 8

T. 15 N., R. 5 E., S. 2 Mer. Ind.^a

a Beech 10 in. dia. bears S 42 E 5 lbs. dist.
 Level wet land, Beech, Elm, Ash, Oak, Sycam,
 Hickory & Upr. Spice, Hazle &c.

North on the E. Boundary of Sec. 1

24.93 a W. Oak 36 in. dia.

40.00 set of sec. port from which

an Elm 30 in. dia. bears S 27 E 12 lbs. dist. 8

a Spr. Ash 14 " " " N 40 W 30 " "

66.20 Intersect N. Boundary & set port en. of T. 15 &
 16 N., R. 5 & 6 E. from which

an Ash 9 in. dia. bears N 41 W 2 lbs. dist. 8

a Poplar 20 " " " S 76 W 17 " "

Land & timber the same as on the last mile

Saturday, July 31st 1819

North Boundary, Var. 6th 36 E.

West on the S. Boundary of Sec. 36, T. 16 N., R. 5 E.

11.07 a Sycamore 16 in. dia.

40.00 set of sec. port from which

an Elm 24 in. dia. bears S 76 E 12 lbs. dist. 8

a Dr 12 " " " N 31 W 11 " "

48.58 a Maple 24 " "

80.00 set port en. of sec. 35 & 36 from which

a Beech 15 in. dia. bears N 65 W 10 lbs. dist. 8

a Dr 18 " " " S 74 E 16 " "

Level 2nd rate land, Beech, Sugar, Ash, Elm,
 Hickory & Upr. Spice, Pawpaw, P. Ash &c.

West on the S. Boundary of Sec. 35, T. 16 N., R. 5 E.

31.10 a Hickory 20 in. dia.

40.00 set of sec. port from which

a Beech 27 in. dia. bears N 42 W 19 lbs. dist. 8

T. 15 N., R. 5 E. 2. Mer. Ind.^a

a Beech 12 in. diameter S 15° W 14 lbs. dia. &
 48.50 a Creek 40 lbs. wide course S W
 50.03 a Hickory 27 in. dia.
 80.00 set part cor. of sec. 34 & 35 from which
 a Beech 6 in. diameter S 11° E 15 lbs. dia. &
 a Hickory 21 " " " N 32° W 22 " "
 Good farming land, Beech, Sugar, Ark, Elm &
 thick Wyr. of the same
 August 2^d. 1819

West on the S. Boundary of Sec. 34, T 16 N, R 5 E
 15.76 a Hickory 21 in. dia.
 40.00 set of sec. part from which
 a Sugar 16 in. diameter N 75° W 15 lbs. dia. &
 an Elm 30 " " " S 40° E 23 " "
 69.13 a Beech 22 " "
 80.00 set part cor. of sec. 33 & 34 from which
 a Beech 27 in. diameter S 2° W 8 lbs. dia. &
 a Do 25 " " " N 78° W 14 " "
 Level 2^d rate land, Beech, Sugar, Ark, Elm,
 Oak, Hickory & Wyr. Spice &

West on the S. Boundary of Sec. 33, T 16 N, R 5 E
 26.30 an Ark 25 in. dia.
 40.00 set of sec. part from which
 a Beech 10 in. diameter S 16° W 26 lbs. dia. &
 a Do 18 " " " N 21° E 20 " "
 53.79 an Elm 60 " "
 80.00 set part cor. of sec. 32 & 33 from which
 a Beech 14 in. diameter N 5° E 25 lbs. dia. &
 a Do 14 " " " S 33° W 18 " "
 Land & timber the same as on the last mile

T. 15 N., R. 5 E. 2^d. Mer. Ind. ^a

West on the S. Boundary of Sec. 32, T. 16 N., R. 5 E
10.40 a Beech 20 in. dia.

40.00 set g. sec. post from which
an Ash 7 in. dia. bears S 8 E 2 1/2 Ms. dist. 8
a Hickory 16 " " " N 55 E 8 " "

50.80 a W. Ash 20 " "

80.00 set post cor. of sec. 31 & 32 from which
a W. Ash 18 in. dia. bears N 62 W 18 Ms. dist. 8
a Do 14 " " " S 28 W 19 " "
Level wet land, Beech, Elm, Gum, W. Ash,
W. Oak, Hickory & Upr. same

West on the S. Boundary of Sec. 31, T. 16 N., R. 5 E
1.63 a Beech 24 in. dia.

40.00 set g. sec. post from which
a Sugar 20 in. dia. bears N 39 W 42 Ms. dist. 8
a Do 18 " " " S 38 W 34 " "

47.50 a Branch 15 Ms. wide course S W

48.78 a Walnut 24 in. dia.

72.40 set post cor. of T. 15 & 16 N., R. 4 & 5 E. from
which an Ash 8 in. dia. bears N 56 E 4 Ms. dist. 8
a Do 13 " " " S 56 W 2 " "

Level 2^d rate land, Beech, Ash, Oak, Hickory,
Walnut & Buckeye; Upr. Spruce, Pawpaw,
Ironwood

West Boundary. Var. 6th 00th E.

North on the E. Boundary of Sec. 36, T. 15 N., R. 4 E.

13.23 a Beech 21 in. dia.

40.00 set g. sec. post from which
a Sugar 9 in. dia. bears N 83 E 9 Ms. dist. 8
a Dogwood 6 " " " S 16 W 10 " "

73.00 a Beech 18 " "

T. 15 N., R. 5 E. 2^d Mer. Ind.^a

80.00 set post cor. of sec. 25 & 36 from which
 a Beech 18 in. dia. bears S 26° W 10 1/2 m. dist. 8
 a Do 25 " " " S 79° E 26 " "
 Good farming land, Beech, Sugar, Ash, Elm,
 W. Oak &: Upr. Spice & Pawpaw

North on the E. Boundary of Sec. 25, T 15 N., R 4 E
 14.00 a W. Oak 25 in. dia.

40.00 set q. sec. post from which
 a Beech 18 in. dia. bears West 23 1/2 m. dist. 8
 a Do 18 " " " S 46° E 21 " "

50.00 a W. Oak 54 " "

80.00 set post cor. of sec. 24 & 25 from which
 a W. Oak 18 in. dia. bears N 26° E 18 1/2 m. dist. 8
 a Beech 8 " " " S 66° W 8 " "
 Level Prato land, Beech, Sugar, Ash, Elm, W.
 Oak, Hickory &: Upr. Spice, Pawpaw

North on the E. Boundary of Sec. 24, T 15 N., R 4 E
 18.54 a Maple 24 in. dia.

40.00 set q. sec. post from which
 a W. Ash 18 in. dia. bears N 15° E 13 1/2 m. dist. 13
 a Beech 18 " " " S 27° E 10 " "

43.04 a W. Ash 24 " "

80.00 set post cor. of sec. 13 & 24 from which
 a Beech 18 in. dia. bears N 79° W 38 1/2 m. dist. 13
 a Do 10 " " " S 69° E 23 " "
 Level Prato land, timber as last noted.

North on the E. Boundary of Sec. 13, T 15 N., R 4 E.

4.54 a Beech 25 in. dia.

40.00 set q. sec. post from which
 a Beech 18 in. dia. bears S 8° E 10 1/2 m. dist. 13

T. 15 N., R. 5 E. 2^d Mer. Ind.^a

a Beech 15 in. diameter N 87 W 12 Ms. dist.

54.84 a Dr 16 " "

80.00 set port cor. of sec. 12 & 13 from which

a Hickory 18 in. diameter N 14 E 12 Ms. dist. &

a Beech 14 " " S 34 W 21 " "

Level 2^d rate land, Beech, Sugar, Elm, Walnut
W. Oak & Wp. Spice

North on the E. Boundary of Sec. 12, T. 15 N., R. 4 E

40.00 set q. sec. port from which

a Beech 21 in. diameter S 55 E 18 Ms. dist. &

a Dr 9 " " N 88 W 29 " "

80.00 set port cor. of sec. 11 & 12 from which

a Beech 14 in. diameter N 89 W 15 Ms. dist. &

a Sugar 6 " " S 85 E 9 " "

Good farming land, Beech, Sugar, Elm, Spruce,
Walnut, Oak & Wp. Spice, Pawpaw &

Wednesday, August 4. 1819

North on the E. Boundary of Sec. 1, T. 15 N., R. 4 E

4.00 a Branch 15 Ms. wide course S W

40.00 set q. sec. port from which

a Beech 20 in. diameter South 9 Ms. dist. &

a Dr 9 " " N 24 W 13 " "

70.95 Intersect N. Boundary at port cor. of T. 15 & 16
N. R. 4 & 5 E.

Good farming land, timber as last noted.
Surveyed in 1819 by

John M. Donalds
Dep. Surveyor

Subdivision

Variation of E. Boundary of Sec. 36 is 5^o 30' E.

T. 15 N., R. 5 E., 2^d Mer. Ind.^a

and the Variation of E. Boundary of Sec. 25 is 6° 00' E.
making a zigzag in the Range Line of 30'

The S.E. cor. of this Township is obtuse 1° 30'.

North between Sec. 35 & 36

13.10 a W. Oak 18 in. dia.

40.00 set of sec. post from which

a Beech 10 in. dia bears N 56 E 8 Ms. dist. 8

a W. Oak 36 , , , S 14 W 23 , ,

62.10 a Beech 14 , ,

80.00 set post cor. of sec. 25, 26, 35 & 36 from which

a Beech 13 in. dia bears South 7 Ms. dist. 8

a Do 14 , , , N 15 W 23 , ,

Land level, soil thin, timber Beech, Ash, W. Oak,
Underbrush Spice &c.

East in Random between Sec. 25 & 36

40.00 set temp. of sec. post

80.51 Intersect E. Boundary 254 Ms. E. of post -

Land & timber the same as on the last line

West Connected between Sec. 25 & 36

40.25 set of sec. post at aver. dist from which

a Water Beech 4 in. dia bears S 77 W 13 Ms. dist 12

an Ash 12 , , , S 26 E 4 , ,

80.57 to Sec. cor.

North between Sec. 25 & 26

2.28 a Beech 16 in. dia.

40.00 set of sec. post from which

a Beech 6 in. dia bears N 6 W 28 Ms. dist. 8

a Do 18 , , , S 12 W 18 , ,

80.00 set post cor. of sec. 23, 24, 25 & 26 from which

a Beech 8 in. dia bears S 84 W 4 Ms. dist 8

T. 15 N., R. 5 E. 2^o. Mer. Ind.^a

a Beech 8 in. diameter N 63 E 13 lbs. dist.
 Land rolling, soil thin, Beech, Ash - Upr. Spice.

East on Random between Sec. 24 & 25

40.00 set temp. g. sec. port

80.37 Intersect E. Boundary 200 lbs. S. of port -
 Land & timber the same as on the last line

West Corrected between Sec. 24 & 25

40.18 set g. sec. port at aver. dist. from which
 a Beech 15 in. diameter N 88 E 4 lbs. dist. 8
 a Do 10 " " " N 55 W 33 " "
 80.37 to sec. cor.

North between Sec. 23 & 24

31.00 a dry Branch 8 lbs. wide course S W
 40.00 set g. sec. port from which
 a Beech 24 in. diameter S 37 E 26 lbs. dist. 8
 a Sugar 12 " " " N 38 W 42 " "
 45.43 a W. Oak 18 " "
 80.00 set port cor. of sec. 13, 14, 23 & 24 from which
 a Beech 18 in. diameter S 57 W 4 lbs. dist. 8
 a Do 11 " " " N 68 E 25 " "
 Land rolling 2^o rate, Beech, Ash, W. Oak, Upr.
 Spice - Friday 21st July 1820

East on Random between Sec. 13 & 24

40.00 set temp. g. sec. port

79.88 Intersect E. Boundary 123 lbs. S. of port -
 First 1/2 mile rich, timber of small growth -
 last 1/2 mile level 2^o rate, Beech, Ash, W. Oak,
 some Walnut - Upr. Spice

T. 15 N., R. 5 E. S. Mer. Ind.^a

West Connected between Sec. 13 & 24

39.94 set g. sec. post at aver. dist. from which
an Ash 4 in. diam bears S 57 E 14 lbs. dist. 8
a Beech 15 " " " S 44 W 19 " "

79.88 to sec. cor.

North between Sec. 13 & 14

37.94 a Beech 10 in. dia.

40.00 set g. sec. post from which
a Beech 6 in. diam bears S 72 E 4 lbs. dist. 8
a W. Oak 33 " " " N 33 W 22 " "

78.43 a Do 24 " "

80.00 set post cor. of Sec. 11, 12, 13 & 14 from which
a Poplar 36 in. diam bears N 7 E 16 lbs. dist. 8
an Ash 36 " " " S 16 W 32 " "
Land level good 2^d rate, Beech, Ash, W. Oak,
Hickory, Poplar - Upr. Spice &c.

East on Random between Sec. 12 & 13

40.00 set temp. g. sec. post

80.05 Intersect E. Boundary 112 lbs. S. of post -
Land level 2^d rate

West Connected between Sec. 12 & 13

40.02 set g. sec. post at aver. dist. from which
a Beech 11 in. diam bears N 15 E 17 lbs. dist. 8
a Do 5 " " " S 69 W 11 " "

80.05 to sec. cor.

North between Sec. 14 & 12

37.00 a Sugar 18 in. dia.

40.00 set g. sec. post from which
a Beech 13 in. diam bears S 31 W 20 lbs. dist. 8

a Water Beech 5 in. di. bears N 8 E 17th. dist.
 62.90 a Beech 14 in. di.
 80.00 set port cor. of sec. 1, 2, 11 & 12 from which
 a Beech 11 in. di. bears S 65th W 39th. dist. 8
 a Do 25 " " " N 85 E 38 " "
 Land level 2^d rate, Beech, Ash, W. Oak - Spice &

East in Random between Sec. 1 & 2
 40.00 set temp. g. sec. port
 79.88 Intersect E. Boundary 122th. S. of port -
 Land level, 1st 1/2 mile 2^d rate, last 1/2 mile
 inclining to wet 3^d rate. The connected line was
 here inadvertently omitted, see port of this page.

North between Sec. 1 & 2
 20.03 an Ash 7 in. di.
 40.00 set g. sec. port at aver. dist. from which
 a Beech 18 in. di. bears S 16 E 9th. dist. 8
 an Elm 12 " " " N 34th W 17
 59.00 a W. Oak 12 " "
 66.40 Intersect N. Boundary 4th. W. of port -
 set port at intersection cor. of sec. 1 & 2 from which
 a Beech 18 in. di. bears S 72 E 15th. dist. 8
 a Do 15 " " " N 66th W 10 " "
 Land level, last 1/2 mile inclining to wet,
 timber of a small growth, mostly Beech & Ash
 W. Oak, Spice & no water, being on the dividing
 flat between the two branches of Sugar Creek

West Connected between Sec. 1 & 2
 39.94 set g. sec. port at aver. dist. from which
 a Beech 14 in. di. bears S 25 E 29th. dist. 8
 a Do 6 " " " N 27th W 18 " "
 79.88 to sec. cor.

T. 15 N., R. 5 E. T. Mer. Ind. a

North between Sec. 34 & 35

15.85 a Beech 20 in. dia.

40.00 set g. sec. post from which

a Beech 10 in. dia. bears S 1 E 39 lbs. dist. 18

a Do 12 " " " N 56 W 44 " "

55.55 a Do 18 " "

80.00 set post cor. of sec. 26, 27, 34 & 35 from which

a Beech 11 in. dia. bears S 16 E 18 lbs. dist. 8

a Do 14 " " " N 80 W 17 " "

Land rolling S rate, Beech, Ash, W. Oak, Upr.
Spice &c.

East on Random between Sec. 26 & 35

40.00 set temp. g. sec. post

79.53 Intersect N & S. line 242 lbs. S. of post -

Land level inclining to wet S. rate, timber as
before noted

West Connected between Sec. 26 & 35

39.76 set g. sec. post at aver. dist. from which

a Beech 30 in. dia. bears N 2 E 20 lbs. dist. 8

a Do 5 " " " S 2 W 21 " "

79.53 to sec. cor. 22^d July 1820

North between Sec. 26 & 27

23.50 a Stream 15 lbs. wide course S W

28.00 an Ash 30 in. dia.

40.00 set g. sec. post from which

a Beech 11 in. dia. bears S 25 E 11 lbs. dist. 8

a Do 14 " " " N 15 W 29 " "

71.00 an Hickory 10 " "

80.00 set post cor. of sec. 22, 23, 26 & 27 from which

an Elm 14 in. dia. bears N 81 W 11 lbs. dist. 8

T. 15 N., R. 5 E. 2^d. Mer. Ind.^a

a Beech 6 in. dia. bears S 32 E 10th. dist.

Land level 2^d rate, last 1/2 mile good, timber Beech,
Ash, Poplar, Hickory, W. Oak - Upr. Spice &c.

East on Random between Sec. 23 & 26

40.00 set temp. g. sec. post

63.50 a Stream 20th. dist. course S.

79.75 Intersect N & S. line 270th. S. of post —
(Description of land &c. omitted)

West Corrected between Sec. 23 & 26

39.87 set g. sec. post at aver. dist. from which
a W. Oak 18 in. dia. bears S 44 E 28th. dist. & S
a Do 12 " " " West 16 " "

79.75 to sec. cor.

North between Sec. 22 & 23

30.63 a Beech 18 in. dia.

40.00 set g. sec. post from which
a Beech 12 in. dia. bears S 29 W 10th. dist. & S
a Do 15 " " " N 32 E 25 " "

55.83 an Ash 10 " "

78.00 a beautiful stream 20th. wide course S W
cor. of sec.

80.00 a Walnut 20 in. dia. 14, 15, 22 & 23 from which
a Locust 12 in. dia. bears N 69 W 21th. dist. & S
a Buckeye 10 " " " East 22 " "
Land rolling, 1st 1/2 mile 2^d rate, last 1/2 mile
1st rate, timber Beech, Ash & some Walnut
Upr. Spice &c.

East on Random between Sec. 14 & 23

3.00 a Stream 18th. wide course S W

40.00 set temp. g. sec. post

T. 15 N., R. 5 E. I. Mer. Ind.?

80.00 Intersect N & S line 245 lbs. S. of port -
First 1/2 mile rolling prairie, timber as before

West Connected between Sec. 14 & 23

40.00 Set g. sec. port at aver. dist. from which
a Beech 14 in. diam bears S 7 E 7 lbs. dist. 8
a As 20 " " " N 10 W 18 " "

80.00 to sec. cor.

North between Sec. 14 & 15

27.12 an Ash 15 in. dia.

40.00 Set g. sec. port from which
an Ash 12 in. dia bears S 8 W 33 lbs. dist. 8
a As 11 " " " N 14 W 23 " "

56.54 a Beech 8 " "

80.00 Set port cor. of sec. 10, 11, 14 & 15 from which
a Beech 6 in. diam bears N 68 W 4 lbs. dist. 8
an Elm 16 " " " S 9 E 22 " "
Land level, 1st 1/2 mile rich, Beech, Ash, W.
Oak, Poplar - Upr. Spice &c.

East on Random between Sec. 11 & 14

40.00 Set temp. g. sec. port

55.00 a Water course, dry, course S W

80.45 Intersect N & S line 163 lbs. S. of port -
First 1/2 mile good prairie, last 1/2 mile inclining
to wet prairie, timber as before noted

West Connected between Sec. 11 & 14

40.22 Set g. sec. port at aver. dist. from which
a Beech 10 in. diam bears N 36 E 25 lbs. dist. 8
an Ironwood 6 " " " S 23 W 9 " "

80.45 to sec. cor.

North between Sec. 10 & 11

13.65 an Elm 15 in. dia.

40.00 set g. sec. post from which

a Beech 6 in. dia. bears N 89 W 6 lbs. dist. 8

a Do 20 " " " S 32 E 29 " "

80.00 set post cor. of sec. 2, 3, 10 & 11 from which

a Beech 18 in. dia. bears S 8 E 20 lbs. dist. 8

an Ash 6 " " " N 39 E 12 " "

Land rolling good 2^d rate, Beech, Ash, Poplar —
Upr. Spice Gr.

East on Random between Sec. 2 & 11

40.00 set temp. g. sec. post

80.26 Intersect N. S. line 103 lbs. E. of post —

Land level 2^d rate, Beech, Ash &c.

West Connected between Sec. 2 & 11

40.13 set g. sec. post at aver. dist. from which

a R. Oak 19 in. dia. bears N 69 E 18 lbs. dist. 8

an Ash 8 " " " S 2 E 16 " "

80.26 to sec. cor.

North between Sec. 2 & 3

9.00 a Stream 40 lbs. wide course S W

14.10 an Elm 10 in. dia.

30.50 a dry branch, course every how

40.00 set g. sec. post from which

a Beech 18 in. dia. bears N 84 E 6 lbs. dist. 8

a Do 11 " " " South 16 " "

41.50 a small stream, course S W

49.80 a Sugar 10 in. dia.

68.00 Intersect N. Boundary 70 lbs. W. of post —

set post at intersection cor. of sec. 2 & 3 from which

T. 15 N., R. 5 E. 2^d. Mer. Ind.^a

a Beech 15 in. diameter S 32 E 24 Ms. dist. 8

a Do 8 " " " N 88 W 27 " "

Land rolling & good soil, timber Beech, Ash,
R. Oak, Hickory, Poplar &c

At this corner there is a wagon road running
parallel with the Town line.

Sunday 23^d July 1820

North between Sec. 33 & 34

26.00 a Stream 20 Ms. wide course SE

29.40 a Beech 10 in. dia.

40.00 set q. sec. post from which

a Beech 14 in. diameter N 48 W 21 Ms. dist. 8

a Do 12 " " " N 24 E 22 " "

67.88 a Do 36 " "

80.00 set post cor. of sec. 27, 28, 33 & 34 from which

a Sugar 6 in. diameter West 5 Ms. dist. 8

a Beech 4 " " " S 6 E 4 " "

Land rolling 2^d rate, timber as before noted

East on Random between Sec. 27 & 34

40.00 set temp. q. sec. post

44.50 a Stream 50 Ms. wide course S.

79.72 Intersect N. T. line 110 Ms. E. of post -

First 1/2 mile rich, last 1/2 mile 2^d rate level,
Beech, Sugar, Ash

West Corrected between Sec. 27 & 34

39.86 set q. sec. post at aver. dist. from which

a Hackberry 5 in. diameter N 84 E 19 Ms. dist. 8

a Do 24 " " " S 70 W 29 " "

79.72 to sec. cor.

North between Sec. 27 & 28

34.72 a Poplar 18 in. dia.

40.00 set g. sec. port from which

a Sugar 11 in. dia. bears N 31 E 17 lbs. dist. 8

a Poplar 36 " " " S 68 W 26 " "

67.50 a Spring draft course S E. good water

72.00 a Stream 40 lbs. wide course S E

74.00 a Walnut 24 in. dia.

80.00 set port cor. of sec. 21, 22, 27 & 28 from which

a Sugar 15 in. dia. bears S 73 W 8 lbs. dist. 8

a As 5 " " " N 30 E 20 " "

Land beautifully rolling & very rich, Sugar,
Walnut, Hackberry &c. Pine land

East on Random between Sec. 22 & 27

40.00 set temp. g. sec. port

79.70 Intersect N & S. line 75 lbs. S. of port—

Land rolling 1st 1/2 mile 1st rate, last 1/2 mile 2nd rate,
Beech, Ash, W. Oak, some Walnut—Wys. Spice

West Connected between Sec. 22 & 27

39.85 set g. sec. port at aver. dist. from which

a Beech 6 in. dia. bears N 18 E 12 lbs. dist. 8

a Sugar 5 " " " S 30 W 6 " "

79.70 to Sec. cor.

North between Sec. 21 & 22

21.00 a Stream 45 lbs. wide course S 8 W

40.00 set g. sec. port from which

a Beech 12 in. dia. bears S 37 E 14 lbs. dist. 8

an Elm 46 " " " N 15 E 23 " "

50.00 a Stream 30 lbs. wide course S E

60.00 an Elm 15 in. dia.

T. 15 N., R. 5 E. 2^d. Mer. Ind.^a

80.00 set post cor. of sec. 15, 16, 21 & 22 from which
 a Beech 20 in. dia. bears N 40° W 18 lbs. dist. 8
 a Do 22 " " " S 22° E 17 " "
 Land level 2^d rate, Beech, Ash & some Walnuts
 Underbrush Spice, Pawpaw &

East on Random between Sec. 15 & 22

16.00 a Stream 30 lbs. wide course S
 34.00 a Spring draft course S
 40.00 set temp. g. sec. post
 79.16 Intersect N 2° S. line 113 lbs. S. of post -
 Land rolling good 2^d rate, timber as before noted

West Connected between Sec. 15 & 22

39.58 set g. sec. post at cross. dist. from which
 an Ash 30 in. dia. bears N 61° W 19 lbs. dist. 8
 a Beech 10 " " " S 66° E 14 " "
 79.16 to sec. cor.

North between Sec. 15 & 16

20.90 a Sugar 30 in. dia.
 40.00 set g. sec. post from which
 a Beech 18 in. dia. bears S 11° W 35 lbs. dist. 8
 a Do 12 " " " N 77° E 10 " "
 69.54 a Do 15 " "
 80.00 set post cor. of sec. 9, 10, 15 & 16 from which
 a Beech 14 in. dia. bears S 30° E 11 lbs. dist. 8
 a Do 10 " " " N 54° W 21 " "
 Land level good soil, Beech, Ash, Sugar,
 W. Oak, Poplar, Hickory - Upr. Spice

East on Random between Sec. 10 & 15

40.00 set temp. g. sec. post

corrupt

T. 15 N., R. 5 E. 2^d Mer. Ind.^a

- 40.50 a Stream 45 lbs. wide course S
 43.00 a Spring draft course NW
 48.00 a Spring course " SE
 66.50 a Stream 10 lbs. wide course SW. dry
 79.40 Intersect N & S. line 47 lbs. S. of port -
 Land rolling, soil thin, timber as before
-

West Connected between Sec. 10 & 15

- 39.70 set of sec. port at aver. dist. from which
 a W. Oak 20 in. diameter N 9 E 45 lbs. dist. 8
 a Walnut 18 " " " S 3 E 54 " "
 79.40 to sec. cor. Monday 24th July 1820
-

North between Sec. 9 & 10

- 14.55 a Beech 14 in. dia.
 40.00 set of sec. port from which
 a Buckeye 12 in. diameter S 44 W 14 lbs. dist. 8
 a Sugar 7 " " " N 2 E 28 " "
 43.75 an Elm 30 " "
 80.00 set port cor. of sec. 3, 4, 9 & 10 from which
 a Sugar 11 in. diameter S 30 E 21 lbs. dist. 8
 a Beech 15 " " " N 20 E 21 " "
 Land level 2^d rate, Beech, Ash &c.
-

East on Random between Sec. 3 & 10

- 40.00 set temp. of sec. port
 62.50 a Stream 35 lbs. wide course S
 79.58 Intersect N & S. line 145 lbs. S. of port -
 Land & timber as before noted
-

West Connected between Sec. 3 & 10

- 39.79 set of sec. port at aver. dist. from which
 a Beech 15 in. diameter S 22 E 8 lbs. dist. 8

T. 15 N., R. 5 E. 2.^d Mer. Ind.^a

a Walnut 12 in. diameter N 1 E 34 lbs. dist.
79.58 to sec. cor.

North between Sec. 3 & 4

13.00 a Buckeye 8 in. dia.

40.00 set g. sec. port from which

a Beech 18 in. diameter N 40 E 32 lbs. dist. 8

a Lvs 15 " " " S 44 E 24 " "

50.34 an Ash 10 " "

68.39 Intersect N. Boundary 21 lbs. N. of port -

set port at intersection cor. of sec. 3 & 4 from which

a Beech 24 in. diameter S 57 E 8 lbs. dist. 8

a Sugar 5 " " " N 84 W 14 " "

Land level good 2^d rate, timber Beech, Ash,

Wickory, W. Oak, Poplar; Upr. Spice, Beech,

Ash, Dogwood &c.

North between Sec. 32 & 33

9.50 a Stream 25 lbs. wide course E

40.00 set g. sec. port from which

a Beech 10 in. diameter N 17 W 10 lbs. dist. 8

a Lvs 6 " " " S 52 W 12 " "

46.70 an Ash 20 " "

80.00 set port cor. of sec. 28, 29, 32 & 33 from which

a Beech 30 in. diameter S 71 E 17 lbs. dist. 8

a Water Beech 6 " " " S 88 W 8 " "

Land level, good soil, Beech, Ash, Sugar & Spice

East on Randon between Sec. 28 & 33

40.00 set temp. g. sec. port

80.14 Intersect N. & E. line 119 lbs. E. of port -

Land & timber as before noted. 25th July 1820

T. 15 N., R. 5 E. 2. Mer. Ind. a.

West Cornered between Sect. 28 & 33

40.07 set g. sec. post at aver. dnt. from which
 an Elm 20 in. diam bears N 11 E 11 lbs. dnt. 8
 a W. Oak 33 " " " S 37 W 18 " "

80.14 to sec. cor.

North between Sect. 28 & 29

24.90 a Beech 15 in. dia.

40.00 set g. sec. post from which
 a Beech 7 in. diam bears S 6 E 8 lbs. dnt. 8
 a Do 12 " " " N 72 W 20 " "

70.15 a Do 12 " "

79.00 a Stream 15 lbs. wide course N E

80.00 set post cor. of sect. 20, 21, 28 & 29 from which
 a Dogwood 4 in. diam bears S 41 E 13 lbs. dnt. 8
 a Beech 5 " " " N 57 W 8 " "
 Land level 1. Rate, Beech, Sugar, Ash; Under-
 brush Spice, Pawpaw & Trilobes good water

East on Random between Sect. 21 & 28

1.00 a Stream 15 lbs. wide course N E

40.00 set temp. g. sec. post

69.50 a Stream 50 lbs. wide course S E

74.00 a Do 40 " " " S E

80.24 Intersect N & S line 120 lbs. S. of post—
 Land rolling rich, timber as before noted

West Cornered between Sect. 21 & 28

40.12 set g. sec. post at aver. dnt. from which
 a Beech 10 in. diam bears N 61 E 15 lbs. dnt. 8
 a Do 15 " " " S 88 W 17 " "

80.24 to sec. cor.

T. 15 N., R. 5 E. 2. Mer. Ind.^a

North between Sec. 20 & 21

20.50 an Ash 20 in. dia.

40.00 set g. sec. post from which

a Beech 22 in. dia. bears S 20 E 23 lbs. dist. 8

a Do 18 " " " N 27 W 11 " "

73.00 a wet weather stream 10 lbs. wide course E

74.50 a Beech 20 in. dia.

80.00 set post cor. of sec. 10, 17, 20 & 21 from which

a Beech 12 in. dia. bears S 53 E 10 lbs. dist. 8

a Do 28 " " " N 46 W 21 " "

Land level rich; ^{to} timber Beech, Ash, Poplar,
Sugar, W. Oak & Upr. Spruce &c.

East on Random between Sec. 10 & 21

13.00 a Stream 15 lbs. wide course NE

15.00 a Do 15 " " " SE

23.00 a Do 15 " " " NE

40.00 set temp. g. sec. post

50.00 a Stream 40 lbs. wide course SE

80.57 Intersect N & S line 67 lbs. S. of post -

Land rolling rich, timber as before noted

West Corrected between Sec. 10 & 21

40.28 set g. sec. post at aver. dist. from which

a W. Oak 20 in. dia. bears N 36 W 44 lbs. dist. 8

a Do 16 " " " S 35 E 35 " "

80.57 to sec. cor.

North between Sec. 10 & 17

3.02 a Hickory 18 in. dia.

9.00 a dry Branch, course SE

19.50 a Stream 15 lbs. wide course SE

40.00 set g. sec. post from which

T. 15 N., R. 5 E., 2^d. Mer. Ind.^a

a Beech 20 in. diameter S 15 E 5th. dist. 18

a Water Beech 7 " " " N 9 W 32 " "

74.75 an Ash 20 " "

80.00 set post cor. of sect. 8, 9, 16 & 17 from which
an Ash 24 in. diameter S 30 W 14th. dist. 18

a Beech 12 " " " N 35 E 26 " "

Land level 2^d rate, Beech, Ash, W. Oak

East on Random between Sect. 9 & 16

40.00 set temp. g. sec. post

55.12 a Stream 35th. wide course S

80.06 Intersect N & S line 38th. S. of post -
Land & timber as before noted.

West Connected between Sect. 9 & 16

40.03 set g. sec. post at aver. dist. from which

a Sugar 20 in. diameter S 36 E 9th. dist. 18

a Buckeye 10 " " " N 11 E 15 " "

80.06 to sec. cor.

North between Sect. 8 & 9

37.56 a Beech 12 in. dia.

40.00 set g. sec. post from which

a Beech 20 in. diameter N 62 E 18th. dist. 18

a Poplar 12 " " " S 51 E 21 " "

67.12 an Elm 8 " "

72.15 a Stream 20th. wide course SE

80.00 set post cor. of sect. 4, 5, 8 & 9 from which

a Beech 20 in. diameter S 46 W 3th. dist. 18

a Do 14 " " " N 46 E 3 " "

First 1/2 mile level 2^d rate, last 1/2 mile rolling 1st
rate, timber Beech, Ash, Sugar, Walnut -
Upr. Spruce &

T. 15 N., R. 5 E. T. Mer. Ind.^a

East on Random between Sec. 4 & 9

30.50 a Stream 15 lbs. wide course S W

40.00 set temp. g. sec. post

80.24 Intersect N. & S. line 35 lbs. S. of post -

Land cutting T. rate, timber as before noted

West Corrected between Sec. 4 & 9

40.12 set g. sec. post at aver. dist. from which

a Gum 8 in. dia. bears S 80 E 3 lbs. dist. 8

a Do 14 " " " N 76 W 18 " "

80.24 to sec. cor.

North between Sec. 4 & 5

4.67 a Beech 20 in. dia.

40.00 set g. sec. post from which

a Beech 20 in. dia. bears S 1 E 52 lbs. dist. 8

a Do 8 " " " N 18 E 10 " "

47.50 a Stream 10 lbs. wide course NE

47.75 an Ash 12 in. dia.

67.55 Intersect N. Boundary 105 lbs. W. of post -

set post at intersection cor. of sec. 4 & 5 from which

an Ash 8 in. dia. bears N 33 W 4 lbs. dist. 8

a Do 30 " " " S 4 E 26 " "

Land level L. rate, Beech, Ash, W. Oak, Poplar,
Underbrush Spice &c. Thursday 26th July 1820

North between Sec. 31 & 32

20.65 an Ash 8 in. dia.

32.00 a Stream 12 lbs. wide course SE

40.00 set g. sec. post from which

an Ash 7 in. dia. bears N 13 E 17 lbs. dist. 8

a Sugar 4 " " " S 16 E 13 " "

80.00 set post cor. of sec. 29, 30, 31 & 32 from which

T. 15 N., R. 5 E. 2. Mer. Ind.^a

an Elm 20 in. diameter North 11 lbs. dist. 8
 an Ash 12 " " S 24 W 29 " "
 Land level, soil rich, timber Beech, Ash, Sugar
 Maple, Spruce &c.

East on Random between Sec. 29 & 32

40.00 set temp. g. sec. post

79.00 Intersect N. & S. line 125 lbs. E. of post -

Land level good 2^d rate, timber as before noted

West Connected between Sec. 29 & 32

39.50 set g. sec. post at aver. dist. from which
 a Beech 20 in. diameter S 10 W 28 lbs. dist. 8

a Do 7 " " " N 22 W 13 " "

79.00 to sec. cor.

West between Sec. 30 & 31

13.10 an Ash 28 in. dia.

40.00 set g. sec. post from which

a Beech 5 in. diameter N 84 E 12 lbs. dist. 8

an Ironwood 5 " " " N 59 W 20 " "

48.07 a W. Oak 50 " "

73.12 Intersect W. Boundary 159 lbs. N. of post -

set post at intersection cor. of Sec. 30 & 31 from which

a Beech 7 in. diameter S 24 E 20 lbs. dist. 8

a Do 30 " " " N 23 W 27 " "

Land level rich but part inclining to wet,
 Beech, Ash, W. Oak

North between Sec. 29 & 30

35.00 a Beech 15 in. dia.

40.00 set g. sec. post from which

a Beech 30 in. diameter N 17 W 21 lbs. dist. 8

T. 15 N., R. 5 E. T. Mer. Ind.^a

a Beech 18 in. diameter S 44 E 17 lbs. dirt.

80.00 set port cor. of sec. 19, 20, 29 & 30 from which

a Beech 10 in. diameter North 3 lbs. dirt &

an Ash 24 " " " S 42 E 11 " "

Land level & rate, Beech, Ash & Upr. Spruce.

East on Random between Sec. 20 & 29

40.00 set temp. g. sec. port

79.25 Intersect N & S line 48 lbs. S. of port -

Land level good & rate, timber as before noted

West Excavated between Sec. 20 & 29

39.62 set g. sec. port at aver. dirt from which

a Beech 8 in. diameter N 16 E 9 lbs. dirt &

a Sugar 12 " " " S 35 E 23 " "

79.25 to sec. cor.

West between Sec. 19 & 30

32.75 a Beech 20 in. dia.

40.00 set g. sec. port from which

a W. Oak 30 in. diameter S 45 E 38 lbs. dirt &

an Ash 12 " " " N 64 W 9 " "

72.15 Intersect W. Boundary 259 lbs. N. of port -

Set port at intersection cor. of sec. 19 & 30 from which

an Ash 9 in. diameter S 12 W 23 lbs. dirt &

a Do 6 " " " N 62 E 3 " "

Land level & rate, timber as before noted

North between Sec. 19 & 20

17.16 a Beech 11 in. dia.

40.00 set g. sec. port from which

a Beech 5 in. diameter S 10 E 19 lbs. dirt &

al Hickory 28 " " " N 78 W 3 " "

T. 15 N., R. 5 E. 2. Mer. Ind. a

63.80 an Ark 8 in. dia.

80.00 set port cor. of sec. 17, 18, 19 & 20 from which
a Beech 14 in. dia. bears S 54 W 18 Ms. dist. &
an Ark 30 " " " N 45 E 7 " "
Land level & rich but inclining to wet, Beech,
Ark, W. Oak, Underbrush Spice, P. Ark &c.

West between Sec. 18 & 19

1.14 a Beech 20 in. dia.

40.00 set g. sec. port from which
a W. Ark 36 in. dia. bears S 58 E 10 Ms. dist. &
an Ark 4 " " " N 8 W 21 " "

63.25 a Dr 18 " "

72.50 Intersect. W. Boundary 250 Ms. N. of port -
set port at intersection cor. of sec. 18 & 19 from which
a Beech 18 in. dia. bears N 80 E 22 Ms. dist. &
a Poplar 18 " " " N 73 W 8 " "
Land level, 1st 1/2 mile L. rate, last 1/2 mile
inclining to wet, Beech &c.

East on Random between Sec. 17 & 20

40.00 set temp. g. sec. port

47.50 a Stream 10 Ms. wide course NE. dry

80.00 Intersect. N & S. line 50 Ms. E. of port -

Land level good L. rate, Beech, Ark, Poplar,
W. Oak; Ulp. Spice - Friday 27th July 1820

West Cancited between Sec. 17 & 20

40.00 set g. sec. port at aver. dist. from which

a Water Beech 5 in dia. bears N 11 E 2 Ms. dist. &
a Beech 7 " " " S 2 W 30 " "

80.00 to sec. cor.

T. 15 N., R. 5 E. 2. Mer. Ind.

North between Sec. 17 & 18

19.78 a Beech 6 in. dia.

40.00 set g. sec. port from which

a Sugar 6 in. diameter S 20 E 24 lbs. dist 28

a Beech 8 " " " N 53 E 15 " "

69.46 a Do 20 " "

80.00 set port cor. of sec. 7, 8, 17 & 18 from which

an Ash 10 in. diameter S 42 W 7 lbs. dist 28

an Elm 48 " " " N 43 E 14 " "

Land level good 2. rate, Beech, Ash, Sugar &

Underbrush Spice, Water Beech, Ash &c.

East on Random between Sec. 8 & 17

40.00 set temp. g. sec. port

64.00 a dry Branch 10 lbs. wide course S E

70.50 a Do 15 " " " S

79.46 Intersection N. S. line 80 lbs. S. of port -

Land level 2. rate

West Connected between Sec. 8 & 17

39.73 set g. sec. port at aver. distiform which

a Sugar 18 in. diameter S 47 W 15 lbs. dist 28

a Beech 24 " " " N 36 E 30 " "

79.46 to sec. cor.

West between Sec. 7 & 18

11.50 a Beech 20 in. dia.

40.00 set g. sec. port from which

an Ash 15 in. diameter S 74 E 11 lbs. dist 28

a Beech 6 " " " S 80 W 26 " "

59.47 an Ash 7 " "

72.58 Intersection W. Boundary 188 lbs. N. of port -

set port at intersection cor. of sec. 7 & 18 from which

T. 15 N., R. 5 E. 2. Mer. Ind.^a

an Ash 8 in. dia. bears N 7 W 18 lbs. dist. 18
 a Do 7 " " " S 61 E 17 " "
 Land & timber as before noted

North between Sec. 7 & 8

9.08 a Beech 18 in. dia.
 40.00 set g. sec. post from which
 a Beech 22 in. dia. bears N 5 E 33 lbs. dist. 18
 a Do 12 " " " S 22 W 12 " "
 47.17 an Ash 17 " "
 80.00 set post cor. of sec. 5, 6, 7 & 8 from which
 a W. Oak 12 in. dia. bears South 7 lbs. dist. 18
 an Ash 10 " " " N 54 E 5 " "
 Land level, soil rich, but no water, timber
 Beech, Ash, W. Oak, Sugar, Poplar &
 Underwood Spice, Ash, Beech &

East on Random between Sec. 5 & 8

40.00 set temp. g. sec. post
 74.00 a Stream 7 lbs. wide course S E
 79.46 Intersect N & S. line 10 lbs. N. of post -
 Land rolling rich, timber mostly Ash

West Connected between Sec. 5 & 8

39.73 set g. sec. post at aver. dist. from which
 a W. Oak 7 in. dia. bears S 81 W 3 lbs. dist. 18
 an Ash 9 " " " N 82 E 11 " "
 79.46 to sec. cor.

West between Sec. 6 & 7

28.15 a Beech 12 in. dia.
 40.00 set g. sec. post from which
 a W. Oak 15 in. dia. bears N 11 E 8 lbs. dist. 18

T. 15 N., R. 5 E. L. Mer. Ind.^a

a Sugar 7 in. diameter S 24 W 17 lbs. dist.
 51.85 a Do 9 " "
 71.69 Intersect N. Boundary 246 lbs. N. of post -
 set post at intersection cor. of sec. 6 & 7 from which
 a Walnut 12 in. diameter N 45 E 11 lbs. dist. & 8
 a Do 12 " " S 40 W 6 " "
 Land level 2^d rate, Beech, Ash &c.
 This corner is in very rich land

North between Sec. 5 & 6

8.50 an Ash 8 in. dia.
 40.00 at g. sec. post from which
 a Beech 15 in. diameter S 6 W 21 lbs. dist. & 8
 an Ash 12 " " North 22 " "
 43.42 a Beech 18 " "
 68.63 Intersect N. Boundary 94 lbs. N. of post -
 set post at intersection cor. of sec. 5 & 6 from which
 a Mulberry 5 in. diameter S 69 E 19 lbs. dist. & 8
 a Beech 7 " " N 83 W 16 " "
 Land level good 2^d rate, timber Beech, Ash,
 W. Oak, Hickory, Poplar, Ypr. Spice &c.
 The land as we go North gradually grows better
 and the wood opener.
 Saturday 28th July 1820
 Subdivided at Var. 6th 06th E. by
 John Hendricks
 Dep. Surveyor.

Near to and parallel with the North Boundary
 of this Township, is a Wagon road

I certify that the foregoing transcript of
Field Notes of the survey of Township N. 15 North,
in Range N. 5 East of the 2^d Principal Mer-
idian, in the State of Indiana, has been com-
pared with the original on file in this office,
and found to be correct.

Surveyor General's Office,

Cincinnati, March 12, 1842

} E. D. Leakes
Sur. Genl.